Index to Volume 49

Authors and Titles

Aberton MJ, Wilson BA, Hill J, Cahill DM
Development of disease caused by *Phytophthora cinnamomi* in mature *Xanthorrhoea australis* 209
Appezzato-da-Glória B
See Hayashi AH *et al.* 745
Armesto JJ
See Figueroa JA *et al.* 411
Asante KS, Brophy JJ, Doran JC, Goldsack RJ, Hibbert DB, Larmour JS
A comparative study of the seedling leaf oils of the spotted gums: species of the *Corymbia* (Myrtaceae), section Politaria 55
Ash JE
See Oliver EJ *et al.* 561
Attiwill P
See Hill J *et al.* 1
Auld TD, Denham AJ
Predispersal seed predation in shrubs of *Grevillea* (Proteaceae) from south-eastern Australia 17

Bandyopadhyay A
See Radhakrishnan T *et al.* 753
Barmuta LA
See Whinam J *et al.* 673
Barnes RW
See Rowell MV *et al.* 235
Barnes RW, Hill RS, Bradford JC
The history of Cunoniaceae in Australia based on macrofossil evidence 301
Barthomeuf C
See Hitmi A *et al.* 81
Batty AL, Dixon KW, Brundrett M, Sivasithamparam K
Long-term storage of mycorrhizal fungi and seed as a tool for the conservation of endangered Western Australian terrestrial orchids 619
Bauer LM, Johnston ME, Williams RR
Rate and timing of vegetative growth, flowering and fruit development of *Persoonia virgata* (Proteaceae) 245
Beattie AJ
See Pharo EJ *et al.* 23
Bell DT
See James SA *et al.* 259
Boon WM
See Chambers GK *et al.* 377
Bowman DMJS
On the elusive definition of 'Australian rainforest': response to Lynch and Neldner (2000) 785
Bowman DMJS, Price O, Whitehead PJ, Walsh A
The 'wilderness effect' and the decline of *Callitris intratropica* on the Arnhem Land Plateau, northern Australia 665
Bradford JC
See Barnes RW *et al.* 301
Bridle KL, Kirkpatrick JB
Impacts of grazing by vertebrate herbivores on the flower stem production of tall alpine herbs, Eastern Central Plateau, Tasmania 459
Broadhurst LM, Coates DJ, Tan BH
Patterns of morphological variation and allelic distribution across a zone of overlap between two subspecies of *Geleznowia verrucosa* (Rutaceae) 451
Brophy JJ
See Asante KS *et al.* 55
Brown EA
See Taaffe G *et al.* 107
Brundrett M
See Batty AL *et al.* 619
Buckley TR
See Chambers GK *et al.* 377
Buckney RT
See King SA *et al.* 717
Burd M
See Jones A *et al.* 603
Burdon JJ
See Oliver EJ *et al.* 561

Cahill DM
See Aberton MJ *et al.* 209
Cairney JWG
See Van Leerdam DM *et al.* 75
Cairney JWG, Van Leerdam DM, Chen DM
Metal insensitivity in ericoid mycorrhizal endophytes from *Woollsia pungens* (Epacridaceae) 571
Chambers GK, Boon WM, Buckley TR, Hitchmough RA
Using molecular methods to understand the Gondwanan affinities of the New Zealand biota: three case studies 377
Chandran K
See Radhakrishnan T *et al.* 753
Chang K-W
See Kao W-Y *et al.* 509
Chen DM
See Cairney JWG *et al.* 571
Chen L-B
See Fu J-H *et al.* 771
Chilcott N
See Whinam J *et al.* 673
Chisholm L
See Stone C *et al.* 687
Clarke K, Prakash N
Floral morphology and embryology of two Australian species of *Citrus* (Rutaceae) 199
Coates DJ
See Broadhurst LM *et al.* 451
Coops N
See Stone C *et al.* 687
Crayn DM
See Taaffe G *et al.* 107
Crowley GM, Garnett ST
Growth, seed production and effect of defoliation in an early flowering perennial grass *Alloteropsis semialata* (Poaceae) on Cape York Peninsula, Australia 735

Dell B
See Tynan KM *et al.* 761
Denham AJ
See Auld TD *et al.* 17
Dixon KW
See Batty AL *et al.* 619
See Rokich DP *et al.* 169
Doran JC
See Asante KS *et al.* 55

Dutkowski GW
See Freeman JS *et al.* 585

Figueroa JA, Armesto JJ
Community-wide germination strategies in a temperate rainforest of Southern Chile: ecological and evolutionary correlates 411
Freeman JS, Jackson HD, Steane DA, McKinnon GE, Dutkowski GW, Potts BM, Vaillancourt RE
Chloroplast DNA phylogeography of *Eucalyptus globulus* 585
Froend RH
See Pettit NE *et al.* 515
Fu J-H, Lei L-G, Chen L-B, Qiu G-Z
Wall ultrastructure and cytochemistry and the longevity of pollen of three grass species 771

Gadek PA
See Taaffe G *et al.* 107
Galloway PD
See Pate JS *et al.* 529
García-Berthou E
See Verdaguer D *et al.* 67
Garnett ST
See Crowley GM *et al.* 735
Goldingay RL
See Hackett DJ *et al.* 637
Goldsack RJ
See Asante KS *et al.* 55
Gul B
See Khan MA *et al.* 185

Hackett DJ, Goldingay RL
Pollination of *Banksia* spp. by non-flying mammals in north-eastern New South Wales 637
Hansman DJ
Floral biology of dry rainforest in north Queensland and a comparison with adjacent savanna woodland 137
Hardy GEStJ
See McDougall KL *et al.* 193
See Tynan KM *et al.* 761
Hayashi AH, Penha AS, Rodrigues RR, Appezzato-da-Glória B
Anatomical studies of shoot bud-forming roots of Brazilian tree species 745
Heyligers PC
Dispersal and monoecy in *Atriplex cinerea* (Chenopodiaceae) 501
Hibbert DB
See Asante KS *et al.* 55
Hill J
See Aberton MJ *et al.* 209
Hill J, Attiwill P, Uren NC, O'Brien ND
Does manganese play a role in the distribution of the eucalypts? 1
Hill RS
Biogeography, evolution and palaeoecology of *Nothofagus* (Nothofagaceae): the contribution of the fossil record 321
See Barnes RW *et al.* 301
See Swenson U *et al.* 367
Hitchmough RA
See Chambers GK *et al.* 377

Hitmi A, Sallanon H, Barthomeuf C
Effects of plant growth regulators on the growth and pyrethrin production by cell cultures of *Chrysanthemum cinerariaefolium* 81
Hobbs RJ
See McDougall KL *et al.* 193
Holmes JM
See Tynan KM *et al.* 761
Holtum JAM, Winter K
Are plants growing close to the floors of tropical forests exposed to markedly elevated concentrations of carbon dioxide? 629
Hopper SD
See Krauss SL *et al.* 611
Hovenden MJ
The influence of temperature and genotype on the growth and stomatal morphology of southern beech, *Nothofagus cunninghamii* (Nothofagaceae) 427

Jackson HD
See Freeman JS *et al.* 585
James SA, Bell DT
Leaf morphological and anatomical characteristics of heteroblastic *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 259
Johnston ME
See Bauer LM *et al.* 245
Jones A, Burd M
Vegetative and reproductive variation among unisexual and hermaphroditic individuals of *Wurmbea dioica* (Colchicaceae) 603
Jordan GJ
An investigation of long-distance dispersal based on species native to both Tasmania and New Zealand 333
See Rowell MV *et al.* 235

Kao W-Y, Chang K-W
Altitudinal trends in photosynthetic rate and leaf characteristics of *Miscanthus* populations from central Taiwan 509
Keiper FJ, McConchie R
Morphological variation among *Sticherus flabellatus* (Gleicheniaceae) populations of the Sydney region 89
Khan AG
See Khanam N *et al.* 443
Khan MA, Gul B, Weber DJ
Germination of dimorphic seeds of *Suaeda moquinii* under high salinity stress 185
Khan MA, Ungar IA
Alleviation of salinity stress and the response to temperature in two seed morphs of *Halopyrum mucronatum* (Poaceae) 777
Khanam N, Khoo C, Khan AG
Effects of cytokinin–auxin combinations on cell arrangement in the basal stems and tropane alkaloid production in cultured non-rooted shoots of *Duboisia myoporoides* 443
Khoo C
See Khanam N *et al.* 443
King SA, Buckney RT
Exotic plants in the soil-stored seed bank of urban bushland 717
Kirkpatrick JB
See Bridle KL *et al.* 459

Krauss SL, Hopper SD
From Dampier to DNA: the 300-year-old mystery of the identity and proposed allopolyploid origin of *Conostylis stylidioides* (Haemodoraceae) 611

Ladd PG
See Woolfrey AR *et al.* 705
Ladiges PY
See Nelson G *et al.* 389
Larmour JS
See Asante KS *et al.* 55
Lee DE, Lee WG, Mortimer N
Where and why have all the flowers gone? Depletion and turnover in the New Zealand Cenozoic angiosperm flora in relation to palaeogeography and climate 341
Lee WG
See Lee DE *et al.* 341
Lei L-G
See Fu J-H *et al.* 771
Loveys Beth R
See Loveys Brian R *et al.* 9
Loveys Beth R, Loveys Brian R, Tyerman SD
Water relations and gas exchange of the root hemiparasite *Santalum acuminatum* (quandong) 479
Loveys Brian R
See Loveys Beth R *et al.* 479
Loveys Brian R, Tyerman SD, Loveys Beth R
Transfer of photosynthate and naturally occurring insecticidal compounds from host plants to the root hemiparasite *Santalum acuminatum* (Santalaceae) 9
Lynch AJJ
See Neldner VJ *et al.* 789

Mallick SA
Production and consumption of nectar in flowers of Tasmanian leatherwood, *Eucryphia lucida* (Eucryphiaceae) 435
Martin HA
The family Convolvulaceae in the Tertiary of Australia: evidence from pollen 221
McComb JA Colquhoun IJ
See Tynan KM *et al.* 761
McConchie R
See Keiper FJ *et al.* 89
McDougall KL, Hardy GEStJ, Hobbs RJ
Additions to the host range of *Phytophthora cinnamomi* in the jarrah (*Eucalyptus marginata*) forest of Western Australia 193
McKinnon GE
See Freeman JS *et al.* 585
McLoughlin S
The breakup history of Gondwana and its impact on pre-Cenozoic floristic provincialism 271
Meagher PF
See Offord CA *et al.* 699
Meney KA
See Rokich DP *et al.* 169
Miguens FC
See Santos M *et al.* 579
Morgan JW
See Wearne LJ *et al.* 721
Mortimer N
See Lee DE *et al.* 341
Murphy PG
See Werner PA 155

Murthy TGK
See Radhakrishnan T *et al.* 753

Neldner VJ, Lynch AJJ
In defence of a workable national rainforest definition in Australia: response to Bowman (2001) 789
Nelson G, Ladiges PY
Gondwana, vicariance biogeography and the New York School revisited 389
Noble JC
Lignotubers and meristem dependence in mallee (*Eucalyptus* spp.) coppicing after fire 31

O'Brien ND
See Hill J *et al.* 1
O'Connor PJO, Smith SE, Smith FA
Arbuscular mycorrhizal associations in the southern Simpson Desert 493
Offord CA, Meagher PF
Effects of temperature, light and stratification on seed germination of Wollemi pine (*Wollemia nobilis*, Araucariaceae) 699
de Oliveira PL
See Santos M *et al.* 579
Oliver EJ, Thrall PH, Burdon JJ, Ash JE
Vertical disease transmission in the *Cakile–Alternaria* host–pathogen interaction 561
Osunkoya OO, Swanborough PW
Reproductive and ecophysiological attributes of the rare *Gardenia actinocarpa* (Rubiaceae) compared with its common co-occurring congener, *G. ovularis* 471
Ough K
Regeneration of Wet Forest flora a decade after clear-felling or wildfire—is there a difference? 645

Pascual G
See Verdaguer D *et al.* 67
Pate JS, Verboom WH, Galloway PD
TURNER REVIEW No. 4 Co-occurrence of Proteaceae, laterite and related oligotrophic soils: coincidental associations or causative inter-relationships? 529
Penha AS
See Hayashi AH *et al.* 745
Pettit NE, Froend RH
Availability of seed for recruitment of riparian vegetation: a comparison of a tropical and a temperate river ecosystem in Australia 515
Pharo EJ, Beattie AJ
Management forest types as a surrogate for vascular plant, bryophyte and lichen diversity 23
Pole MS
Can long-distance dispersal be inferred from the New Zealand plant fossil record? 357
Potts BM
See Freeman JS *et al.* 585
See Turner C *et al.* 43
Prakash N
See Clarke K *et al.* 199
Price O
See Bowman DMJS *et al.* 665
Puigderrajols P
See Verdaguer D *et al.* 67
Qiu G-Z
See Fu J-H *et al.* 771

Quinn CJ
See Taaffe G *et al.* 107

Radhakrishnan T, Murthy TGK, Chandran K, Bandyopadhyay A
Somatic embryogenesis in *Arachis hypogaea*: revisited 753
Read J
Soil and rainforest composition in Tasmania: correlations of soil characteristics with canopy composition and growth rates in *Nothofagus cunninghamii* associations 121
Rodrigues RR
See Hayashi AH *et al.* 745
Rokich DP, Meney KA, Dixon KW, Sivasithamparam K
The impact of soil disturbance on root development in woodland communities in Western Australia 169
Rowell MV, Jordan GJ, Barnes RW
An *in situ*, Late Pleistocene *Melaleuca* fossil forest at Coal Head, western Tasmania, Australia 235
Ryley MJ
Location and activity of hyphae of the downy mildew, *Peronosclerospora noblei* (Family Peronosporaceae), and its relationship to symptom expression on wild sorghum (*Sorghum leiocladum*) 487

Sallanon H
See Hitmi A *et al.* 81
Santos M, de Oliveira PL, Miguens FC
A method of estimating stomatal density in *Paspalum notatum* (Poaceae) 579
Sivasithamparam K
See Batty AL *et al.* 619
See Rokich DP *et al.* 169
Smith FA
See O'Connor PJO *et al.* 493
Smith SE
See O'Connor PJO *et al.* 493
Steane DA
See Freeman JS *et al.* 585
Stone C, Chisholm L, Coops N
Spectral reflectance characteristics of eucalypt foliage damaged by insects 687
Swanborough PW
See Osunkoya OO *et al.* 471
Swenson U, Hill RS
Most parsimonious areagrams versus fossils: the case of *Nothofagus* (Nothofagaceae) 367

Taaffe G, Brown EA, Crayn DM, Gadek PA, Quinn CJ
Generic concepts in Styphelieae: resolving the limits of *Leucopogon* 107
Tan BH
See Broadhurst LM *et al.* 451
Thrall PH
See Oliver EJ *et al.* 561
Turner C, Wiltshire RJE, Potts BM, Vaillancourt RE
Variation in seedling morphology in the *Eucalyptus risdonii–E. tenuiramis* complex 43
Tyerman SD
See Loveys Beth R *et al.* 479
See Loveys Brian R *et al.* 9
Tynan KM, Wilkinson CJ, Holmes JM, Dell B, Colquhoun IJ, McComb JA, Hardy GEStJ
The long-term ability of phosphite to control *Phytophthora cinnamomi* in two native plant communities of Western Australia 761

Ungar IA
See Khan MA *et al.* 777
Uren NC
See Hill J *et al.* 1

Vaillancourt RE
See Freeman JS *et al.* 585
See Turner C *et al.* 43
Van Leerdam DM
See Cairney JWG *et al.* 571
Van Leerdam DM, Williams PA, Cairney JWG
Phosphate-solubilising abilities of ericoid mycorrhizal endophytes of *Woollsia pungens* (Epacridaceae) 75
Verboom WH
See Pate JS *et al.* 529
Verdaguer D, García-Berthou E, Pascual G, Puigderrajols P
Sprouting of seedlings of three *Quercus* species in relation to repeated pruning and the cotyledonary node 67

Walsh A
See Bowman DMJS *et al.* 665
Wang YZ
Reversion of floral development under adverse ecological conditions in *Whytockia bijieensis* (Gesneriaceae) 253
Wearne LJ, Morgan JW
Floristic composition and variability of subalpine grasslands in the Mt Hotham region, north-eastern Victoria 721
Weber DJ
See Khan MA *et al.* 185
Werner PA, Murphy PG
Size-specific biomass allocation and water content of above- and below-ground components of three *Eucalyptus* species in a Northern Australia savanna 155
Whinam J, Barmuta LA, Chilcott N
Floristic description and environmental relationships of Tasmanian *Sphagnum* communities and their conservation management 673
Whitehead PJ
See Bowman DMJS *et al.* 665
Wilkinson CJ
See Tynan KM *et al.* 761
Williams PA
See Van Leerdam DM *et al.* 75
Williams RR
See Bauer LM *et al.* 245
Wilson BA
See Aberton MJ *et al.* 209
Wiltshire RJE
See Turner C *et al.* 43
Winter K
See Holtum JAM *et al.* 629
Woolfrey AR, Ladd PG
Habitat preference and reproductive traits of a major Australian riparian tree species (*Casuarina cunninghamiana*) 705
Wooller RD
See Wooller SJ *et al.* 597
Wooller SJ, Wooller RD
Seed set in two sympatric banksias, *Banksia attenuata* and *B. baxteri* 597